

# Safety data sheet

# according to 1907/2006/EC, Article 31

Printing date 14.12.2022 Version number 8 (replaces version 7) Revision: 14.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Composil
· Article number: 4 04 xx

the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the

mixture Silicate sealing

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Laboratory

Lechstrasse 28 D 90451 Nürnberg Tel. +49(0)911-642960 Fax. +49(0)911-644456 e-mail info@akemi.de

· Further information obtainable

from:
1.4 Emergency telephone

number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

#### **SECTION 2: Hazards identification**

#### · 2.1 Classification of the substance or mixture

Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

#### · 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008 Void

· Hazard pictograms Void

· Signal word Void

· Hazard-determining components of

labelling: Not applicable.

· Hazard statements Void

· <u>Additional information:</u> Products treated with biocide OIT (CAS 26530-20-1).

Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic

reaction.

Safety data sheet available on request.

#### · 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB:

1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)



Page 2/9

# Safety data sheet

# according to 1907/2006/EC, Article 31

Printing date 14.12.2022 Version number 8 (replaces version 7) Revision: 14.12.2022

**Trade name:** Composil

(Contd. of page 1)

	(Conta. c	pripage 1)
· Dangerous components:		
CAS: 58190-57-1	Ethyl tris (acetonoximo) silane	1-5%
EC number: 611-631-1	STOT RE 2, H373	
Reg.nr.: 01-2119982962-22-0000		
CAS: 1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamine	<1%
EINECS: 217-164-6	STOT RE 2, H373	
Reg.nr.: 01-2119970215-39	Eye Dam. 1, H318	
	Acute Tox. 4, H332; Skin Sens. 1, H317	
	vPvB	
· Additional information:	For the wording of the listed hazard phrases refer to section 16.	

#### **SECTION 4: First aid measures**

4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

No special measures required.

· <u>After inhalation:</u> Supply fresh air; consult doctor in case of complaints. · After skin contact: Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a

doctor.

· After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and

delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special

<u>treatment needed</u> No further relevant information available.

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

· For safety reasons unsuitable

extinguishing agents: Water with full jet

5.2 Special hazards arising from

the substance or mixture Under certain fire conditions, traces of other toxic gases cannot be excluded,

e.g.:

Carbon monoxide (CO) Nitrogen oxides (NOx)

5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

· <u>Additional information</u> Dispose of fire debris and contaminated fire fighting water in accordance with

official regulations.

#### **SECTION 6: Accidental release measures**

 6.1 Personal precautions, protective equipment and

<u>emergency procedures</u> Ensure adequate ventilation

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

(Contd. on page 3)



Page 3/9

# Safety data sheet

# according to 1907/2006/EC, Article 31

Printing date 14.12.2022 Version number 8 (replaces version 7) Revision: 14.12.2022

**Trade name:** Composil

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

**p:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

Ensure adequate ventilation.

• 6.4 Reference to other sections No dangerous substances are released.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

<u>handling</u> No special measures required.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and

explosion protection: No special measures required.

#### · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by

<u>storerooms and receptacles:</u> No special requirements.

Information about storage in one

common storage facility:

Store away from foodstuffs.

· Further information about storage

conditions:

None.

· Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the

workplace: The product does not contain any relevant quantities of materials with critical

values that have to be monitored at the workplace.

· DNELs			
58190-57-	58190-57-1 Ethyl tris (acetonoximo) silane		
Oral	DNEL (Langzeit-wiederholt) 0.03 mg/kg bw/day (BEV)		
Dermal	ermal DNEL ( Langzeit-wiederholt) 0.059 mg/kg bw/day (ARB)		
		0.03 mg/kg bw/day (BEV)	
Inhalative	Inhalative DNEL (Langzeit-wiederholt) 0.419 mg/m³ Air (ARB)		
		0.103 mg/m³ Air (BEV)	
1760-24-3	1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine		
Oral	DNEL (Langzeit-wiederholt)	2.5 mg/kg bw/day (BEV)	
Dermal	DNEL (Kurzzeit-akut)	5 mg/kg bw/day (ARB)	
		17 mg/kg bw/day (BEV)	
	DNEL ( Langzeit-wiederholt)	5 mg/kg bw/day (ARB)	
		2.5 mg/kg bw/day (BEV)	
Inhalative	DNEL (Langzeit-wiederholt)	35.3 mg/m³ Air (ARB)	
		8.7 mg/m³ Air (BEV)	

#### · PNECs

## 58190-57-1 Ethyl tris (acetonoximo) silane

PNEC (wässrig) 2.4 mg/l (KA)

(Contd. on page 4)



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.12.2022 Version number 8 (replaces version 7) Revision: 14.12.2022

**Trade name: Composil** 

(Contd. of page 3)

0.24 mg/l (SW) PNEC (fest) 205 mg/kg Trockengew (MWS) 2,047 mg/kg Trockengew (SWS)

1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

PNEC (wässrig) 25 mg/l (KA)

0.0062 mg/l (MW) 0.062 mg/l (SW) 0.62 mg/I (WAS)

PNEC (fest) 0.0075 mg/kg Trockengew (BO)

0.005 mg/kg Trockengew (MWS) 0.05 mg/kg Trockengew (SWS)

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Hand protection

· Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic

measures: Immediately remove all soiled and contaminated clothing

Do not inhale gases / fumes / aerosols.

· Respiratory protection: Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be

given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

· Material of gloves Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior

to the application.

· Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

· Body protection: Protective work clothing

#### **SECTION 9: Physical and chemical properties**

#### · 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Different according to colouring

· Odour: Specific type Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling range Undetermined.

(Contd. on page 5)



Page 5/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.12.2022 Version number 8 (replaces version 7) Revision: 14.12.2022

**Trade name: Composil** 

(Contd. of page 4)

· Flash point: Not applicable. ~430 °C · Ignition temperature:

· pH

· Viscosity:

Not determined.

0 s (DIN 53211/4) · Kinematic viscosity at 20 °C Not determined. · Dynamic:

· Solubility

Not miscible or difficult to mix. · water:

Not determined. · Vapour pressure:

· Density and/or relative density

· Density: Not determined.

· 9.2 Other information

Appearance:

· Form: Pasty

· Important information on protection of health and

environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

 Explosive properties: Product does not present an explosion hazard.

· Information with regard to physical hazard classes

 Explosives Void · Flammable gases Void Void Aerosols Void Oxidising gases

· Gases under pressure Void · Flammable liquids Void

· Flammable solids Void

· Self-reactive substances and mixtures

Void

Void Pyrophoric liquids · Pyrophoric solids Void

· Self-heating substances and mixtures

Void

· Substances and mixtures, which emit flammable

gases in contact with water

Void Void Oxidising liquids Void Oxidising solids · Organic peroxides Void Void · Corrosive to metals Desensitised explosives Void

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous

reactions Reacts with strong oxidising agents. No further relevant information available. · 10.4 Conditions to avoid

· 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)



Page 6/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.12.2022 Version number 8 (replaces version 7) Revision: 14.12.2022

**Trade name: Composil** 

Dermal LD50

(Contd. of page 5)

· 10.6 Hazardous decomposition

Small quantities of formaldehyde may be formed products:

#### **SECTION 11: Toxicological information**

## · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Based on available data, the classification criteria are not met. Acute toxicity

· LD/LC50 values i	relevant for classification:

58190-57-1 Ethyl tris (acetonoximo) silane		
Oral	LD50	2,500 mg/kg (rat)
	NOAEL	11.87 mg/kg (rat)

## 2,500 mg/kg (rat) 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

	(• (•	
Oral		2,995 mg/kg (rat)
	NOEL	≥500 mg/kg (rat) (OECD 422)
	NOAEL	≥500 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	I C50/4 h	1.49 mg/l (rat)

Inhalative LC50/4 h | 1.49 mg/l (rat) Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity · Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met. · STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure · Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

· <u>Aquatic toxicity:</u>			
58190-57-1 Ethyl tris (acetonoximo) silane			
EC50/48h	EC50/48h 678.73 mg/l (daphnia magna) (OECD-Prüfrichtlinie 202)		
NOEC	NOEC 62.34 mg/kg (Selenastrum capricornutum) (OECD-Prüfrichtlinie 201)		
EC50/72h	EC50/72h 315.36 mg/l (Selenastrum capricornutum) (OECD-Prüfrichtlinie 201)		
LC50/96h	LC50/96h 696.76 mg/l (Pimephales promelas) (OECD- Prüfrichtlinie 203)		
1760-24-3	1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine		
EC50	435 mg/l (Klärschlamm: Atmungs-/Vermehrungshemmung)		
IC50/72h	50/72h 8.8 mg/l (green alge) (OECD 201)		
EC50/48h 81 mg/l (daphnia magna)			
EC50/16h 67 mg/l (pseudomonas putida)			
NOEC	NOEC 3.1 mg/kg (green alge) (OECD 201)		
	≥1,000 mg/kg (Eisenia fetida ( Regenwürmer)) (OECD 207)		
NOEC/21d >1 mg/l (daphnia magna)			
	(Contd. on page 7)		



Page 7/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.12.2022 Version number 8 (replaces version 7) Revision: 14.12.2022

**Trade name: Composil** 

(Contd. of page 6)

87.4 mg/l (daphnia magna) EC50/48h

EC50/72h 5 mg/l (green alge)

126 mg/l (Scenedesmus subspicatus)

344 mg/l (Brachydanio rerio) LC50/96h

597 mg/l (Danio rerio.)

168 mg/l (pimephales promelas)

· 12.2 Persistence and

degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB:

1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

· 12.6 Endocrine disrupting

properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

Additional ecological information:

· General notes: Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous

for water

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation Can be disposed of with household garbage after solidification following

consultation with the waste disposal facility operator and the pertinent authorities

and adhering to the necessary technical regulations.

Smaller quantities can be disposed of with household waste.

· European waste catalogue

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS

(PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 04 00 wastes from MFSU of adhesives and sealants (including waterproofing products)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Uncleaned packaging:

Empty contaminated packagings thoroughly. They may be recycled after · Recommendation:

thorough and proper cleaning.

#### **SECTION 14: Transport information**

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

Void Class

(Contd. on page 8)



Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.12.2022 Version number 8 (replaces version 7) Revision: 14.12.2022

Trade name: Composil

	(Contd. of page 7
· <u>14.4 Packing group</u> · <u>ADR, IMDG, IATA</u>	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according to IMO instruments  Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances -

ANNEX I None of the ingredients is listed.

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be

observed.

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· VOC EU 0.0 g/l

15.2 Chemical safety

**assessment:** A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Laboratory

(Contd. on page 9)



(Contd. of page 8)

Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.12.2022 Version number 8 (replaces version 7) Revision: 14.12.2022

**Trade name:** Composil

· Contact: Elke Hake

Fon ++49 (0)911 64296-59 @mail E.Hake@akemi.de

· Date of previous version: 14.12.2022

· Version number of previous

version:

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European

Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

FI