



Product:

## KGS FLEXIS® Pad

Article Number: PP-17256



### Identification

<b>Brand:</b>	KGS	<b>Shape:</b>	Circular (round)
<b>Sub-brand:</b>	FLEXIS®	<b>Commercial Name:</b>	KGS FLEXIS® Pads
<b>Product Type:</b>	Pad	<b>Industries:</b>	Floor cleaning & maintenance, Floor grinding, Floor polishing, Repair & maintenance, Ceramics
<b>Abrasive Type:</b>	Diamond	<b>Technology Type:</b>	Resin   Spraying, Resin   Coating

### Description


With its unique technical properties, the FLEXIS® line is the ultimate solution for the daily cleaning and maintenance of many types of floors. KGS FLEXIS® is made of microscopic superabrasive crystals that have been specifically designed and manufactured for cleaning and polishing. It can be used wet or dry in floor scrubbers, polishers, oscillating or planetary machines. Suitable for terrazzo, marble, granite, vinyl, plastic, linoleum, cement, epoxy, and acrylic floors.

The largest and most worn-out floors are no match for FLEXIS®! There's no need to slow down your work; simply insert the appropriate disc into your floor scrubber and you're done!















The versatility of the FLEXIS® line is also reflected in its available shapes: round pads, sheets and trapezoids. As well as different grit sizes.

- Thick and strong 20 mm / 0.8" pads, consistent finish in all surfaces
- Proven long lasting results
- Extremely durable
- Advanced diamond technology
- Deep & efficient cleaning
- Open structure keeps pads clean

## Informations and Applications

<b>Size (mm)</b>	Ø152	Ø178	Ø203	Ø229	Ø254	Ø279	Ø280	Ø305	Ø330	Ø356	Ø381	Ø406	Ø432	Ø457
<b>Size (in)</b>	6 in	7 in	8 in	9 in	10 in	11 in	11 in	12 in	13 in	14 in	15 in	16 in	17 in	18 in
<b>Rec. speed (RPM)</b>														
<b>Connector</b>	QRS													
<b>Bore (mm)</b>	89													
<b>Application</b>	Cleaning, Grinding, Refurbishing, Scratch													
<b>Usage</b>													 WET and DRY	
<b>Machines</b>	Manual Use, Mobile Machine, Scrubber Dryer, Single													
<b>Backing Description</b>	Q10 White, SOFT GREY, Not Applicable													
<b>Backing Colour</b>	White, Grey													

## Colour

Colour	Grit Size	Finish Type
 Black	100	Extreme coarse
 Black	100	Coarse grinding
 Orange	200	Extreme coarse
 Red	200	Coarse grinding
 Brown	350	Coarse grinding
 Red	400	Coarse grinding
 Blue	800	
 Blue	800	Medium grinding (smoothing)
 Yellow	1500	Fine polishing
 Yellow	1500	
 Green	3000	Fine polishing
 Green	3000	
 Cream	8000	Very fine polishing (glossy)
 Cream	8000	

## Packaging

**Material:** Plastic

**% Recycled:**

**Dimensions:**

**N° Items:** 1

**Description:** Plastic film around the product

**Storage**

**Shelf Life:**

**Information:**

We recommend to store the product between 15 and 25 degrees Celsius at maximum 65% humidity and use the product within 2 years. The product should be kept dry preferably in a closed plastic bag in a carton box to ensure optimal storing conditions and product performance.

**Safety Information**



Please read the safety instructions before use. Wear protective gloves. Wear eye and ear protection. Wear a mask. Use this product only in rooms with proper Air Ventilation.

**Country of Origin**

**HS-Code**

Portugal

68051000

**Contact Information**

KGS DIAMOND PORTUGAL, UNIPessoal, LDA  
Parque Empresarial de LanheseS, Fracção 68 e 7J  
4925-424 LanheseS - Viana do Castelo, Portugal  
Tel.: +351 258 735 189  
sales-pt@kgs.swiss

**Disclaimer**

This technical data sheet is provided for descriptive and informational use only, and replaces all previous versions. The directives contained in this documentation are the result of our experiments and of our experience and have been submitted in good faith. It is not a warranty, a contract, or a substitute for expert or professional advice. Because of the diversity of the materials and substrates and the great number of possible applications which are out of our control, we cannot accept any responsibility for the results obtained. Since the design, the quality of the substrate and processing conditions are beyond our control, no liability under this publication is accepted. In every case it is recommended to carry out preliminary experiments. KGS reserves the right to modify products without prior notice.

**Product List**

Art. N°	Product	Size	Grit Size	Colour	Weight (g)
17256	KGS FLEXIS® Pad	Ø 152 mm x 25 mm (T)	400	Red	34
17257	KGS FLEXIS® Pad	Ø 152 mm x 25 mm (T)	800	Blue	34

<b>Art. N°</b>	<b>Product</b>	<b>Size</b>	<b>Grit Size</b>	<b>Colour</b>	<b>Weight (g)</b>
17258	KGS FLEXIS® Pad	Ø 152 mm x 25 mm (T)	1500	Yellow	34
17259	KGS FLEXIS® Pad	Ø 152 mm x 25 mm (T)	3000	Green	34
17260	KGS FLEXIS® Pad	Ø 178 mm x 25 mm (T)	400	Red	47
17261	KGS FLEXIS® Pad	Ø 178 mm x 25 mm (T)	800	Blue	47
17262	KGS FLEXIS® Pad	Ø 178 mm x 25 mm (T)	1500	Yellow	47
17263	KGS FLEXIS® Pad	Ø 178 mm x 25 mm (T)	3000	Green	47
17264	KGS FLEXIS® Pad	Ø 229 mm x 25 mm (T)	400	Red	77
17265	KGS FLEXIS® Pad	Ø 229 mm x 25 mm (T)	800	Blue	77
17266	KGS FLEXIS® Pad	Ø 229 mm x 25 mm (T)	1500	Yellow	77
17267	KGS FLEXIS® Pad	Ø 229 mm x 25 mm (T)	3000	Green	77
17268	KGS FLEXIS® Pad	Ø 254 mm x 25 mm (T)	400	Red	95
17269	KGS FLEXIS® Pad	Ø 254 mm x 25 mm (T)	800	Blue	95
17270	KGS FLEXIS® Pad	Ø 254 mm x 25 mm (T)	1500	Yellow	95
17271	KGS FLEXIS® Pad	Ø 254 mm x 25 mm (T)	3000	Green	95
17272	KGS FLEXIS® Pad	Ø 280 mm x 25 mm (T)	400	Red	115
17273	KGS FLEXIS® Pad	Ø 280 mm x 25 mm (T)	800	Blue	115
17274	KGS FLEXIS® Pad	Ø 280 mm x 25 mm (T)	1500	Yellow	115
17275	KGS FLEXIS® Pad	Ø 280 mm x 25 mm (T)	3000	Green	115
17276	KGS FLEXIS® Pad	Ø 305 mm x 25 mm (T)	400	Red	137
17277	KGS FLEXIS® Pad	Ø 305 mm x 25 mm (T)	800	Blue	137
17278	KGS FLEXIS® Pad	Ø 305 mm x 25 mm (T)	1500	Yellow	137
17279	KGS FLEXIS® Pad	Ø 305 mm x 25 mm (T)	3000	Green	137
17280	KGS FLEXIS® Pad	Ø 330 mm x 25 mm (T)	400	Red	160
17281	KGS FLEXIS® Pad	Ø 330 mm x 25 mm (T)	800	Blue	160
17282	KGS FLEXIS® Pad	Ø 330 mm x 25 mm (T)	1500	Yellow	160
17283	KGS FLEXIS® Pad	Ø 330 mm x 25 mm (T)	3000	Green	160
17285	KGS FLEXIS® Pad	Ø 356 mm x 25 mm (T)	800	Blue	186
17286	KGS FLEXIS® Pad	Ø 356 mm x 25 mm (T)	1500	Yellow	186
17287	KGS FLEXIS® Pad	Ø 356 mm x 25 mm (T)	3000	Green	186
17288	KGS FLEXIS® Pad	Ø 381 mm x 25 mm (T)	400	Red	214
17289	KGS FLEXIS® Pad	Ø 381 mm x 25 mm (T)	800	Blue	214
17290	KGS FLEXIS® Pad	Ø 381 mm x 25 mm (T)	1500	Yellow	214
17291	KGS FLEXIS® Pad	Ø 381 mm x 25 mm (T)	3000	Green	214
17292	KGS FLEXIS® Pad	Ø 406 mm x 25 mm (T)	400	Red	243
17293	KGS FLEXIS® Pad	Ø 406 mm x 25 mm (T)	800	Blue	243
17294	KGS FLEXIS® Pad	Ø 406 mm x 25 mm (T)	1500	Yellow	243
17295	KGS FLEXIS® Pad	Ø 406 mm x 25 mm (T)	3000	Green	243
17296	KGS FLEXIS® Pad	Ø 432 mm x 25 mm (T)	400	Red	275
17298	KGS FLEXIS® Pad	Ø 432 mm x 25 mm (T)	800	Blue	275
17300	KGS FLEXIS® Pad	Ø 432 mm x 25 mm (T)	1500	Yellow	275
17302	KGS FLEXIS® Pad	Ø 432 mm x 25 mm (T)	3000	Green	275
17304	KGS FLEXIS® Pad	Ø 457 mm x 25 mm (T)	400	Red	307
17305	KGS FLEXIS® Pad	Ø 457 mm x 25 mm (T)	800	Blue	307

<b>Art. N°</b>	<b>Product</b>	<b>Size</b>	<b>Grit Size</b>	<b>Colour</b>	<b>Weight (g)</b>
17306	KGS FLEXIS® Pad	Ø 457 mm x 25 mm (T)	1500	Yellow	307
17307	KGS FLEXIS® Pad	Ø 457 mm x 25 mm (T)	3000	Green	307
17308	KGS FLEXIS® Pad	Ø 508 mm x 25 mm (T)	400	Red	380
17309	KGS FLEXIS® Pad	Ø 508 mm x 25 mm (T)	800	Blue	380
17310	KGS FLEXIS® Pad	Ø 508 mm x 25 mm (T)	1500	Yellow	380
17311	KGS FLEXIS® Pad	Ø 508 mm x 25 mm (T)	3000	Green	380
17312	KGS FLEXIS® Pad	Ø 533 mm x 25 mm (T)	400	Red	418
17313	KGS FLEXIS® Pad	Ø 533 mm x 25 mm (T)	800	Blue	418
17314	KGS FLEXIS® Pad	Ø 533 mm x 25 mm (T)	1500	Yellow	418
17315	KGS FLEXIS® Pad	Ø 533 mm x 25 mm (T)	3000	Green	418
17316	KGS FLEXIS® Pad	Ø 610 mm x 25 mm (T)	400	Red	548
17317	KGS FLEXIS® Pad	Ø 610 mm x 25 mm (T)	800	Blue	548
17318	KGS FLEXIS® Pad	Ø 610 mm x 25 mm (T)	1500	Yellow	548
17319	KGS FLEXIS® Pad	Ø 610 mm x 25 mm (T)	3000	Green	548
17320	KGS FLEXIS® Pad	Ø 686 mm x 25 mm (T)	400	Red	692
17321	KGS FLEXIS® Pad	Ø 686 mm x 25 mm (T)	800	Blue	692
17322	KGS FLEXIS® Pad	Ø 686 mm x 25 mm (T)	3000	Green	692
17337	KGS FLEXIS® Pad	Ø 203 mm x 25 mm (T)	400	Red	61
17338	KGS FLEXIS® Pad	Ø 203 mm x 25 mm (T)	800	Blue	61
17339	KGS FLEXIS® Pad	Ø 203 mm x 25 mm (T)	1500	Yellow	61
17340	KGS FLEXIS® Pad	Ø 432 mm x 25 mm (T)	200	Orange	275
17341	KGS FLEXIS® Pad	Ø 432 mm x 25 mm (T)	100	Black	275
17342	KGS FLEXIS® Pad	Ø 508 mm x 25 mm (T)	200	Orange	380
17343	KGS FLEXIS® Pad	Ø 508 mm x 25 mm (T)	100	Black	380
17345	KGS FLEXIS® Pad	Ø 483 mm x 25 mm (T)	3000	Green	343
17353	KGS FLEXIS® Pad	Ø 483 mm x 25 mm (T)	400	Red	343
17354	KGS FLEXIS® Pad	Ø 483 mm x 25 mm (T)	800	Blue	343
17355	KGS FLEXIS® Pad	Ø 483 mm x 25 mm (T)	1500	Yellow	343
17356	KGS FLEXIS® Pad	Ø 406 mm x 25 mm (T)	100	Black	243
17357	KGS FLEXIS® Pad	Ø 381 mm x 25 mm (T)	100	Black	214
17368	KGS FLEXIS® Pad	Ø 229 mm x 25 mm (T)	100	Black	77
17369	KGS FLEXIS® Pad	Ø 432 mm x 25 mm (T)	350	Brown	275
17370	KGS FLEXIS® Pad	Ø 406 mm x 25 mm (T)	350	Brown	243
17371	KGS FLEXIS® Pad	Ø 152 mm x 25 mm (T)	100	Black	34
17372	KGS FLEXIS® Pad	Ø 152 mm x 25 mm (T)	200	Orange	34
17373	KGS FLEXIS® Pad	Ø 152 mm x 25 mm (T)	350	Brown	34
17374	KGS FLEXIS® Pad	Ø 406 mm x 25 mm (T)	200	Orange	243
17415	KGS FLEXIS® Pad	Ø 178 mm x 25 mm (T)	100	Black	47
17418	KGS FLEXIS® Pad	Ø 280 mm x 25 mm (T)	100	Black	115
17420	KGS FLEXIS® Pad	Ø 280 mm x 25 mm (T)	350	Brown	115
17428	KGS FLEXIS® Pad	Ø 406 mm x 25 mm (T)	8000	Cream	190
17429	KGS FLEXIS® Pad	Ø 432 mm x 25 mm (T)	8000	Cream	215
17438	KGS FLEXIS® Pad	Ø 533 mm x 25 mm (T)	8000	Cream	328

Art. N°	Product	Size	Grit Size	Colour	Weight (g)
17440	KGS FLEXIS® Pad	Ø 508 mm x 25 mm (T)	8000	Cream	298
17487	KGS FLEXIS® Pad	Ø 152 mm x 25 mm (T)	8000	Cream	27
17489	KGS FLEXIS® Pad	Ø 203 mm x 25 mm (T)	8000	Cream	48
17490	KGS FLEXIS® Pad	Ø 254 mm x 25 mm (T)	100	Black	95
17491	KGS FLEXIS® Pad	Ø 254 mm x 25 mm (T)	200	Orange	95
17492	KGS FLEXIS® Pad	Ø 254 mm x 25 mm (T)	350	Brown	95
17493	KGS FLEXIS® Pad	Ø 280 mm x 25 mm (T)	8000	Cream	90
17494	KGS FLEXIS® Pad	Ø 305 mm x 25 mm (T)	8000	Cream	107
17495	KGS FLEXIS® Pad	Ø 381 mm x 25 mm (T)	8000	Cream	168
27494	KGS FLEXIS® Pad	Ø 203 mm x 25 mm (T)	3000	Green	61
27502	KGS FLEXIS® Pad	Ø 483 mm x 25 mm (T)	8000	Cream	269
27508	KGS FLEXIS® Pad	Ø 254 mm x 25 mm (T)	8000	Cream	74
27510	KGS FLEXIS® Pad	Ø 457 mm x 25 mm (T)	8000	Cream	241
30390	KGS FLEXIS® Pad	Ø 686 mm x 25 mm (T)	1500	Yellow	692
31502	KGS FLEXIS® Pad	Ø 229 mm x 25 mm (T)	8000	Cream	61
31507	KGS FLEXIS® Pad	Ø 330 mm x 25 mm (T)	100	Black	160
31508	KGS FLEXIS® Pad	Ø 330 mm x 25 mm (T)	200	Red	160
31509	KGS FLEXIS® Pad	Ø 330 mm x 25 mm (T)	350	Brown	160
31510	KGS FLEXIS® Pad	Ø 330 mm x 25 mm (T)	8000	Cream	126
31511	KGS FLEXIS® Pad	Ø 356 mm x 25 mm (T)	100	Black	186
31514	KGS FLEXIS® Pad	Ø 381 mm x 25 mm (T)	200	Orange	214
31518	KGS FLEXIS® Pad	Ø 533 mm x 25 mm (T)	100	Black	418
31524	KGS FLEXIS® Pad	Ø 559 mm x 25 mm (T)	400	Red	460
31526	KGS FLEXIS® Pad	Ø 559 mm x 25 mm (T)	800	Blue	460
31527	KGS FLEXIS® Pad	Ø 559 mm x 25 mm (T)	1500	Yellow	460
31528	KGS FLEXIS® Pad	Ø 559 mm x 25 mm (T)	3000	Green	460
31533	KGS FLEXIS® Pad	Ø 610 mm x 25 mm (T)	8000	Cream	429
31534	KGS FLEXIS® Pad	Ø 686 mm x 25 mm (T)	100	Black	692
31535	KGS FLEXIS® Pad	Ø 686 mm x 25 mm (T)	200	Orange	692
31536	KGS FLEXIS® Pad	Ø 686 mm x 25 mm (T)	350	Brown	692
31537	KGS FLEXIS® Pad	Ø 686 mm x 25 mm (T)	8000	Cream	543
36086	KGS FLEXIS® Pad	Ø 356 mm x 25 mm (T)	8000	Cream	146
36088	KGS FLEXIS® Pad	Ø 381 mm x 25 mm (T)	350	Brown	214
38374	KGS FLEXIS® Pad	Ø 178 mm x 25 mm (T)	8000	Cream	37
40674	KGS FLEXIS® Pad	Ø 178 mm x 25 mm (T)	200	Orange	47
40684	KGS FLEXIS® Pad	Ø 178 mm x 25 mm (T)	350	Brown	47
40685	KGS FLEXIS® Pad	Ø 203 mm x 25 mm (T)	100	Black	61
40686	KGS FLEXIS® Pad	Ø 203 mm x 25 mm (T)	200	Orange	61
40687	KGS FLEXIS® Pad	Ø 203 mm x 25 mm (T)	350	Brown	61
40688	KGS FLEXIS® Pad	Ø 229 mm x 25 mm (T)	200	Orange	77
40689	KGS FLEXIS® Pad	Ø 229 mm x 25 mm (T)	350	Brown	77
40690	KGS FLEXIS® Pad	Ø 280 mm x 25 mm (T)	200	Orange	115
40691	KGS FLEXIS® Pad	Ø 305 mm x 25 mm (T)	100	Black	137

<b>Art. N°</b>	<b>Product</b>	<b>Size</b>	<b>Grit Size</b>	<b>Colour</b>	<b>Weight (g)</b>
40692	KGS FLEXIS® Pad	Ø 305 mm x 25 mm (T)	200	Orange	137
40693	KGS FLEXIS® Pad	Ø 305 mm x 25 mm (T)	350	Brown	137
40694	KGS FLEXIS® Pad	Ø 356 mm x 25 mm (T)	200	Orange	186
40695	KGS FLEXIS® Pad	Ø 356 mm x 25 mm (T)	350	Brown	186
40696	KGS FLEXIS® Pad	Ø 356 mm x 25 mm (T)	400	Red	186
40697	KGS FLEXIS® Pad	Ø 457 mm x 25 mm (T)	100	Black	307
40698	KGS FLEXIS® Pad	Ø 457 mm x 25 mm (T)	200	Orange	307
40699	KGS FLEXIS® Pad	Ø 457 mm x 25 mm (T)	350	Brown	307
40700	KGS FLEXIS® Pad	Ø 483 mm x 25 mm (T)	100	Black	343
40701	KGS FLEXIS® Pad	Ø 483 mm x 25 mm (T)	200	Orange	343
40702	KGS FLEXIS® Pad	Ø 483 mm x 25 mm (T)	350	Brown	343
40703	KGS FLEXIS® Pad	Ø 508 mm x 25 mm (T)	350	Brown	380
40704	KGS FLEXIS® Pad	Ø 533 mm x 25 mm (T)	200	Orange	418
40705	KGS FLEXIS® Pad	Ø 533 mm x 25 mm (T)	350	Brown	418
40707	KGS FLEXIS® Pad	Ø 559 mm x 25 mm (T)	200	Orange	460
40708	KGS FLEXIS® Pad	Ø 559 mm x 25 mm (T)	350	Brown	460
40709	KGS FLEXIS® Pad	Ø 559 mm x 25 mm (T)	8000	Cream	361
40710	KGS FLEXIS® Pad	Ø 584 mm x 25 mm (T)	100	Black	502
40711	KGS FLEXIS® Pad	Ø 584 mm x 25 mm (T)	200	Orange	502
40712	KGS FLEXIS® Pad	Ø 584 mm x 25 mm (T)	350	Brown	502
40713	KGS FLEXIS® Pad	Ø 584 mm x 25 mm (T)	400	Red	502
40714	KGS FLEXIS® Pad	Ø 584 mm x 25 mm (T)	800	Blue	502
40715	KGS FLEXIS® Pad	Ø 584 mm x 25 mm (T)	1500	Yellow	502
40716	KGS FLEXIS® Pad	Ø 584 mm x 25 mm (T)	3000	Green	502
40717	KGS FLEXIS® Pad	Ø 584 mm x 25 mm (T)	8000	Cream	394
40718	KGS FLEXIS® Pad	Ø 610 mm x 25 mm (T)	100	Black	548
40719	KGS FLEXIS® Pad	Ø 610 mm x 25 mm (T)	200	Orange	548
40720	KGS FLEXIS® Pad	Ø 610 mm x 25 mm (T)	350	Brown	548
40721	KGS FLEXIS® Pad	Ø 635 mm x 25 mm (T)	100	Black	593
40722	KGS FLEXIS® Pad	Ø 635 mm x 25 mm (T)	200	Orange	593
40723	KGS FLEXIS® Pad	Ø 635 mm x 25 mm (T)	350	Brown	593
40724	KGS FLEXIS® Pad	Ø 635 mm x 25 mm (T)	400	Red	593
40725	KGS FLEXIS® Pad	Ø 635 mm x 25 mm (T)	800	Blue	593
40726	KGS FLEXIS® Pad	Ø 635 mm x 25 mm (T)	1500	Yellow	593
40727	KGS FLEXIS® Pad	Ø 635 mm x 25 mm (T)	3000	Green	593
40728	KGS FLEXIS® Pad	Ø 635 mm x 25 mm (T)	8000	Cream	465
40729	KGS FLEXIS® Pad	Ø 660 mm x 25 mm (T)	100	Black	641
40730	KGS FLEXIS® Pad	Ø 660 mm x 25 mm (T)	200	Orange	641
40731	KGS FLEXIS® Pad	Ø 660 mm x 25 mm (T)	350	Brown	641
40732	KGS FLEXIS® Pad	Ø 660 mm x 25 mm (T)	400	Red	641
40733	KGS FLEXIS® Pad	Ø 660 mm x 25 mm (T)	800	Blue	641
40734	KGS FLEXIS® Pad	Ø 660 mm x 25 mm (T)	1500	Yellow	641
40735	KGS FLEXIS® Pad	Ø 660 mm x 25 mm (T)	3000	Green	641

Art. N°	Product	Size	Grit Size	Colour	Weight (g)
40736	KGS FLEXIS® Pad	Ø 660 mm x 25 mm (T)	8000	Cream	503
41498	KGS FLEXIS® Pad	Ø 559 mm x 25 mm (T)	100	Black	460
68211	KGS FLEXIS® Pad	Ø 432 mm	800	Blue	
68212	KGS FLEXIS® Pad	Ø 432 mm	1500	Yellow	
68213	KGS FLEXIS® Pad	Ø 432 mm	3000	Green	
68214	KGS FLEXIS® Pad	Ø 432 mm	8000	Cream	

**Technical Data Sheet Generated on: 2026-06-01**